



ANKLE ARTHROSCOPY

Progression to the next phase is based on Clinical Criteria and/or Time Frames as Appropriate

IMMEDIATE PROTECTION PHASE (Week 1)

Jennifer L. Cook, M.D.

Board Certified
Orthopaedic Surgery

Stephen A. Hanff, M.D.

Board Certified
Orthopaedic Surgery

Aaron K. Mates, M.D.

Board Certified
Orthopaedic Surgery

Troy D. Pashuck, M.D.

Orthopaedic Surgery

Goals:

Protect healing tissue
Control pain and swelling
Control weight bearing forces
Independent transfers and ambulation

Weight-bearing: NWB with optimal ambulatory assistive device for 1 week

Splint/Brace: Foot is placed into neutral in L & U Splint

Treatment:

Transfer and gait training with assistive device, NWB on surgical lower extremity
Patient education and independent HEP
4-way SLR
AROM Hip and Knee
Lower extremity stretching – hamstring, quads, ITB, Hip flexors as needed

MODERATE PROTECTION PHASE (Weeks 2-3)

Goals:

Full AROM/PROM
Normal Gait
Control pain and swelling

Weight-bearing: WBAT using assistive device. Discharge assistive device when gait is normal.

Splint/Brace: Walking boot for ambulation and sleeping

Treatment:

Continue appropriate previous exercises
Ankle AROM (i.e. ankle pumps, alphabet, rotations)
Light theraband exercises x 4

A REGISTERED LIMITED LIABILITY PARTNERSHIP FOR ORTHOPAEDIC SURGERY

2165 Little Road • Trinity, FL 34655 • 727-37-BONES (727-372-6637) • Fax 727-375-5044 • www.floridajointcare.com

Seated BAPS
Stationary bicycle
Gastroc/Soleus stretching
Scar massage / mobilization
Modalities as needed

STRENGTHENING AND MOTION PHASE (Weeks 4-8)

Goals: Normal Strength
Normal Balance

Weight-bearing: FWB without use of assistive device

Treatment:

Continue previous exercises as appropriate
Theraband exercises x 4 – gradually increase resistance
Proprioception training

Ex: Standing balance, single leg stance activities, medicine ball progressions

CKC Exercises

Ex: Mini-squats, leg press/total gym, double leg heel-raises, forward/retro/lateral step-downs, Mini-band walking (forward, backward, lateral)

Aerobic Conditioning

Ex: Elliptical, Stairmaster, Treadmill (forward/backwards)

Aquatic Therapy

Ex: Deep-water training, Aquatic treadmill (Shoulder to chest level running)

ADVANCED STRENGTHENING (Months 2-3)

Criteria for entering Advance strengthening

Minimum 4/5 Ankle Manual Muscle Testing

Symmetrical pain-free AROM

Pain-free ADL activities

Goals: Return to all activities

Treatment:

Continue previous exercises as appropriate

Running progression program

Agility Drills / Proprioception

Transition to home / gym program

A REGISTERED LIMITED LIABILITY PARTNERSHIP FOR ORTHOPAEDIC SURGERY

2165 Little Road • Trinity, FL 34655 • 727-37-BONES (727-372-6637) • Fax 727-375-5044 • www.floridajointcare.com